

LIME TRAP




LIME TRAP

Technology

The Lime Trap is designed to effectively remove calcium in the form of calcium carbonate and other solid particles from wastewater, specifically targeting high-lime content. It operates within the lime precipitation process, where the pH is raised using stripping reactors to promote calcium precipitation. The key feature of the Lime Trap system is its round flotation design equipped with a scraper bridge, ensuring efficient flotation sludge skimming and heavy sludge removal. The system is optimized for lime-rich wastewater. Air dissolution is achieved through Dissolving Reactors (DR), enhancing solid separation. Optional integration with Polymeri ensures optimal polymer preparation for improved flocculation efficiency and sludge removal.

Features

- Efficient Calcium Precipitation: Removes calcium as calcium carbonate from high-lime-content wastewater through lime precipitation.
- Round Flotation Design: Circular flotation setup ensures optimized hydraulic flow for solid separation.
- Integrated Scraper Bridge: Equipped with a scraper bridge for effective flotation sludge skimming and heavy sludge removal.
- Centralized Sludge Collection: Central collection point for sludge enables streamlined removal and processing.
- Integration in Lime precipitation process: Uses stripping reactors to increase pH, to boost calcium precipitation for enhanced solid separation.



**Meri Environmental Solutions GmbH**

Bodenseestr. 113
81243 Munich, Germany
Tel. +49 89 59 33 44
info@meri.de

Voith Meri Environmental Solutions, Inc.

2620 E. Glendale Avenue
P.O. Box 1262
Appleton WI 54911-1262, USA
Tel. +1 920 734-8485
info@meriusa.com

Meri Sistemas e Tecnologia Ltda.

R. Friedrich von Voith, 825
São Paulo – SP – 02995-000, Brasil
Tel. +55 11 3944-6644
meribrasil@meribrasil.com.br

**Meri Environmental Technology
(Kunshan) Co.,Ltd.**

Room 203, No.5, Qinghua Tuspark
Zuchongzhi Road 1666
Kunshan, Jiangsu PRC, China
Tel. +86 51 28 68 90 834
info@meri.cn

www.meri.de



Note: All product-related data and information in this publication shall serve for information purposes only. They shall not be interpreted or intended to represent any kind of warranty or guarantee. The only legally binding statements are those contained solely within our quotations. Errors and omissions excepted. Technical data are subject to change.